

Vol.8 No.8

Antiparkinsonian potential of cilostazol: insights into Nurr-1 and autophagy roles

Shireen A Hedya Cairo University, Egypt.



Abstract

Cilostazol, a 2-oxo-quinoline derivative, is a selective inhibitor of phosphodiesterase-3 that increases intracellular cAMP levels and activates protein kinase A. Cilostazol exhibited neuroprotection in focal cerebral ischemia in rats, which was attributed to its anti-apoptotic properties. Furthermore, it guarded against hypoperfusion-induced cognitive impairment resulting in protective activity in an animal model of vascular dementia. Interestingly, cilostazol proved to exert favorable effects against Alzheimer's disease where it enhanced βamyloid peptide degradation through autophagy modulation in N2a neuronal cells. Together, these findings further support the notion that cilostazol may possess neuroprotective effect and may show beneficial outcome in PD. The aim of this study is to explore the neuroprotective effect of cilostazol in rotenoneinduced PD model in rats. Parkinsonian rat pretreated with cilostazol showed minimal neuronal vacuolation and minimal perivascular edema in the midbrain and striatum. Moreover, . Pretreatment of rats with cilostazol improved the motor deficits as verified by a remarkable surge in ambulation and rearing. This could be explained by the fact that cilostazol significantly raised striatal TH content as compared to the rotenone group. . In conclusion, cilostazol could be a promising candidate for PD treatment.

Keywords: Rotenone, Parkinson's disease, Cilostazol, Tyrosine hydroxylase, midbrain.ccc..



Biography:

Shireen has completed her Master degree at the age of 26 years from faculty of pharmacy Cairo University, Egypt. She is an assistant Lecturer at the pharmacology and toxicology department at faculty of pharmacy Cairo University, Egypt and published two scientific papers at reputable journals.

Speaker Publications:

1.Shireen A Hedya (2018) Hydroxychloroquine mediated Nurr1 enhancement: Neuroprotective activity in rat rotenone PD model. Journal of Neurology & Neurophysiology. (9) 82.

2.Shireen A Hedya (2018) Cilostazol Mediated Nurr1 and Autophagy Enhancement: Neuroprotective Activity in Rat Rotenone PD Model. 55(3).

<u>22nd Euro-Global Summit on Toxicology and Applied Pharmacology;</u> Webinar- July 15-16, 2020.

Abstract Citation:

Shireen A, Antiparkinsonian potential of cilostazol: insights into Nurr-1 and autophagy roles, Euro Toxicology 2020, 22nd Euro-Global Summit on Toxicology and Applied Pharmacology; Webinar- July 15-16, 2020.

(https://europe.toxicologyconferences.com/abstract/2020/antiparkinsonian-potential-of-cilostazol-insights-into-nurr-1-and-autophagy-roles)