



Estimating Schizophrenia Literacy among Caregivers of Patients with Schizophrenia at the National Center for Mental Health (NCMH): A Cross-Sectional Study

Jerico Bajador

National Center for Mental Health, Philippines

Abstract:

This study estimated schizophrenia literacy (SL) of caregivers of patients with schizophrenia in NCMH from June-December 2019 - which produced baseline information on caregiver SL in the Philippines. For a period of six months, 202 caregiver-patient pairs in NCMH Admission and Crisis Intervention Section wards who met the eligibility criteria were enrolled. SL was measured by administering the National Center for Mental Health Schizophrenia Literacy-B Questionnaire (NCMHSL-BQ) through structured interview. NCMHSL-BQ is a 52-item questionnaire with seven constructs- all answerable by yes (oo), no (hindi), or I don't know (hindi ko alam), with an answer key. Out of the 52 items, yes was the correct answer to 33 items (63.5%) while no was the correct answer to the remaining 19 items (36.5%). One (1) point was given for every correct answer, zero (0) for every wrong, and 0.3 for items answered with I do not know. The highest and lowest possible scores were fifty-two (52) and zero (0), respectively. Then, the tertile SL scores were computed which became the cut off points for the exposure groups high, satisfactory, and low SL. Ethics committee approval was obtained from the institution before the study was undertaken. The majority of the caregivers were females, married, reside outside Manila/Metro Manila cities, mother of the patient, belonging to the poor income class, high school graduate, and employed. Their average age was 43 ± 13.2 years old - 19 as the youngest and 73 as the oldest. The mean SL score was 33 ± 2.9 (95%CI: 32.7-33.5), with 41.3 as highest and 24 as the lowest. Majority of caregivers had low [score: 24 to 31.9] SL (72, 35.6%), followed by those with satisfactory [score: 32 to 34.3] SL (68, 33.7%), and high [score: 34.4 to 41.3] SL (62, 30.7%). Administering the NCMHSL-BQ took 32.97 ± 4.83 minutes (95%CI: 32.29 - 33.64) on average



while its Cronbach's alpha was 0.83. Following work for this research include an examination of the relationship of caregiver SL with the frequency of readmission of their patients with schizophrenia.

Biography:

Jerico H. Bajador is a 29 year old psychiatric nurse and candidate for the degree Master of Science in Epidemiology (Public Health) at the University of the Philippines-Manila. He had presented a study at the Asian Health Literacy Association Conference last November 2019 at Ho Chi Minh City, Vietnam, and won the Best Paper Award for Academic Poster Presentation. His study was also accepted in the Tenth International Conference on Health, Wellness & Society at Université de la Sorbonne, Paris, France, and submitted his work in the International Conference on Public Health Nursing and Public Health on August 30-31, 2021 at Moscow, Russia.

Recent Publications:

1. Jerico Bajador, International Journal of Scientific Research and Engineering Development, 2018
2. Jerico Bajador, Journal of medicinal plant research, 2018

Webinar on Health care and Nursing | August 24, 2020 | Osaka, Japan

Citation: Jerico Bajador; Estimating Schizophrenia Literacy among Caregivers of Patients with Schizophrenia at the National Center for Mental Health (NCMH): A Cross-Sectional Study; Webinar on Health care and Nursing; August 24, 2020; Osaka, Japan